



CHINT

NC2-255
IEC/EN 60947-4-1
CE

Technical specifications:
Rated voltage: 20-100 V
Rated current: 25 A
Rated power: 10-100 W
Rated number of conductors: 1-2

Terminal labels: 3/L2, 5/L2, 2/T1, 4/T2, 6/T3

CATÁLOGO

CHINT



CHNT

Transformador de Corrente (TC)

BH-0.66 30I - 200/5A



CHNT

Transformador de Corrente (TC)

BH-0.66 40I - 500/5A



CHNT

Transformador de Corrente (TC)

BH-0.66 50I - 1000/5A



CHINT

**BLOCOS DE CONTATO AUXILIAR F4
LINHA NC2**



CHINT

BLOCOS DE CONTATO AUXILIAR AX-3X LINHA NXG



dyv

POWER
TECHNOLOGIES

CHINT
AX-3X/04

CHNT

BLOCOS DE CONTATO AUXILIAR PARA CONTADORES LINHA NXC

NA : NORMAL ABERTO
NF : NORMAL FECHADO



AX-3X/02

NA: 0 NF: 2




AX-3X/20

NA: 2 NF: 0



AX-3X/11

NA: 1 NF: 1



CHNT

BLOCOS DE CONTATO AUXILIAR PARA CONTADORES LINHA NXC

NA : NORMAL ABERTO
NF : NORMAL FECHADO



AX-3X/22

NA: 2 NF: 2



AX-3X/40

NA: 4 NF: 0



AX-3X/04

NA: 4 NF: 0

CHNT

BLOCOS DE CONTATO AUXILIAR PARA CONTADORES LINHA NXC/NC2

NA : NORMAL ABERTO
NF : NORMAL FECHADO



AX-3X/31

NA: 3 NF: 1



AX-3X/13

NA: 1 NF: 3



F4-04

NA: 0 NF: 4

CHNT

BLOCOS DE CONTATO AUXILIAR PARA CONTATORES LINHA NC2

NA : NORMAL ABERTO
NF : NORMAL FECHADO



F4-40

NA: 4 NF: 0



F4-20

NA: 2 NF: 0



F4-13

NA: 1 NF: 3

CHNT

BLOCOS DE CONTATO AUXILIAR PARA CONTADORES LINHA NC2

NA : NORMAL ABERTO
NF : NORMAL FECHADO



F4-31

NA: 3 NF: 1



F4-11

NA: 1 NF: 1



F4-22

NA: 2 NF: 2

CHINT

BOBINAS PARA CONTADORES 220V



dyv

Power Solutions

AX-300V

CHNT

**BOBINAS PARA
CONTATOR NC2**



NC2-115-150 A

BOBINA



NC2-185-225 A

BOBINA



NC2-265-330 A

BOBINA




NC2-400 A

BOBINA

CHNT

**BOBINAS PARA
CONTATOR NXC**



NXC-50A



NXC-85A

CHNT



CHNT

Contator Eletromecanico Bipolar

NCK3-25/2 (25A)



CHNT

Contator Eletromecânico Tripolar

NXC-50 220V (50A)



CHNT

Contator Eletromecânico Tripolar

NXC-85 220V (85A)



CHNT

Contator Eletromecânico Tripolar

NC2-115 220V (115A)



CHNT

Contator Eletromecanico Tripolar


NC2-150 220V (150A)



CHNT

Contator Eletromecânico Tripolar


NC2-185 220V (185A)



CHNT

Contator Eletromecanico Tripolar


NC2-225 220V (225A)



CHNT

Contator Eletromecânico Tripolar

NC2-265 220V (265A)



CHNT

Contator Eletromecanico Tripolar


NC2-330 220V (330A)



CHNT

Contator Eletromecânico Tripolar


NC2-400 220V (400A)



CHNT

Contator Eletromecanico Tripolar

NC2-500 220V (500A)





NC2-800 220V (800A)



CHINT

UNIVERSITY OF CALIFORNIA, BERKELEY